


Boundary dimensions for fabrics below 230 g/m ²					Boundary dimensions for fabrics over 230 g/m ²					System colours				
Controls	MIN	MAX	M MAX	m ²	Controls	MIN	MAX	M MAX	m ²	(P)				
Chain	50	400	440	12,0	Chain	50	400	400	9,0		white	black	grey	anthracite
Motor AC	55	400	440	17,5	Motor AC	55	400	400	12,0		black nickel	stainless steel		

Tube ∅80 > 300 cm width

i Price in the table includes blind in one of colours (P), with plastic chain control, mechanism and bracket covers are plastic.
Metal bracket covers and mechanism are available for order with surcharge - only in colours (M).




System dimensions



A - system width
B - fabric width


chain A - B = 4,8 cm (2,4 + 2,4)
motor A - B = 5,4 cm (3,0 + 2,4)

Side guidance




Blind equipped with a perlon coated steel wire.
Option offered with surcharge.

Brackets



Bottom bar



type E


Tension brackets



type E - floor

type F - wall

Multi-Link




Total price is the sum of prices of individual blinds.
The distance between fabrics is about 2,3 cm. When using system of height adjustment of roller blinds the distance between fabrics increases up to about 3,3 cm.

Boundary dimensions Multi-Link

Controls	fabric below 230 g/m ²				fabric over 230 g/m ²			
	2 blinds		3 blinds		2 blinds		3 blinds	
	MAX	m ²	MAX	m ²	MAX	m ²	MAX	m ²
Chain	550	7,5	700	9,0	500	6,5	650	7,0
Motor AC	800	31,0	1200	28,0	800	16,0	1200	12,0

* The possibility to produce roller blind with bigger dimensions is possible after consultation.

Duo-Link



Total price is sum of two individual blinds.
The distance between fabrics is about 2,3 cm.